

Operational Items									
BCR 5	readings	% 0	% 1	% 2	% 3	% 4	% A	% B	% C
Form A	4,508	14.4	48.7	27.1	2.5	0.2	6	1.1	0
Form B	3,890	12.1	47.7	30.2	3.3	0.2	5.6	1	0
Form C	3,804	11.1	47.6	30	4.3	0.2	5.8	0.9	0
Form D	3,662	11.2	49.9	30.1	3.6	0.2	4.8	0.2	0
Form X	1,028	19	50.7	16.1	1.5	0	10.9	1.8	0
Form Y	772	16.8	39.9	17.6	1.6	0	21	3.1	0
BCR 5	17,664	12.89	48.22	27.97	3.19	0.18	6.56	0.98	0
BCR 10	readings	% 0	% 1	% 2	% 3	% 4	% A	% B	% C
Form A	4,508	4.1	39.2	44.1	5.5	0.5	6	0.6	0
Form B	3,890	4.4	37.1	46.2	6.1	0.6	5.1	0.6	0
Form C	3,804	3.5	36.6	45.9	6.8	0.5	5.9	0.8	0
Form D	3,662	4	37.4	47.7	6.2	0.4	4.1	0.2	0
Form X	1,028	8.9	41	36.8	2.3	0.1	10.5	0.4	0
Form Y	772	6.5	38.6	31	1.7	0	19.9	2.3	0
BCR 10	17,664	4.4	37.88	44.7	5.7	0.46	6.26	0.62	0
BCR 16	readings	% 0	% 1	% 2	% 3	% 4	% A	% B	% C
Form A	4,508	15.1	50.2	18.9	4.8	1	8.7	1.3	0
Form B	3,890	14.8	49.3	19.7	6	0.7	8.6	1	0
Form C	3,804	13.8	49.6	20.6	5.1	1.1	9	0.8	0
Form D	3,662	13.1	52.8	19.4	6.1	1	7	0.6	0
Form X	1,028	21.5	50.8	9.7	1.6	0.2	14.6	1.7	0
Form Y	772	18.5	38.3	9.7	1.4	0.1	28	3.9	0
BCR 16	17,664	14.86	49.93	18.61	5.06	0.87	9.58	1.12	0
BCR 23	readings	% 0	% 1	% 2	% 3	% 4	% A	% B	% C
Form A	4,508	9	47.7	24.4	3.6	0.8	13.2	1.4	0
Form B	3,890	7.6	47	26.3	4.6	0.5	12.9	1	0
Form C	3,804	7.3	45.6	26.9	4.8	0.7	13.2	1.6	0
Form D	3,662	6.8	47.4	27.5	5.2	0.4	11.4	1.3	0
Form X	1,028	12.2	50.1	13.2	1.3	0.2	21.4	1.7	0
Form Y	772	10.8	38.7	12.6	1.4	0	31.9	4.7	0
BCR 23	17,664	8.13	46.78	24.83	4.18	0.56	14.06	1.5	0

BCR 30	readings	% 0	% 1	% 2	% 3	% 4	% A	% B	% C
Form A	4,508	23.8	26.3	5.8	1.6	0.5	32.9	9.1	0
Form B	3,890	23.2	26	6.6	2	0.7	34.5	7.1	0
Form C	3,804	23.7	27.7	6	1.6	0.7	32.4	7.9	0
Form D	3,662	22.3	27.8	6.8	2.3	0.7	31.4	8.7	0
Form X	1,028	22.9	14.1	1.5	0.2	0	50.3	11.1	0
Form Y	772	23.6	8.8	1.3	0.3	0.3	50.8	15	0
BCR 30	17,664	23.27	25.37	5.78	1.69	0.59	34.63	8.69	0
BCR 42	readings	% 0	% 1	% 2	% 3	% 4	% A	% B	% C
Form A	4,508	11.2	54.1	17.7	3.8	0.7	10.6	1.8	0
Form B	3,890	10.2	54.3	19.3	4.2	0.9	9.9	1.2	0
Form C	3,804	8.1	51.4	22.8	4.5	1.3	10.5	1.3	0
Form D	3,662	8.4	54.2	20.6	5	1.3	8.9	1.6	0
Form X	1,028	15.1	55.7	7.8	0.9	0.4	17.9	2.2	0
Form Y	772	9.8	49	8.3	0.8	0	28	4.1	0
BCR 42	17,664	9.9	53.45	18.76	3.99	0.95	11.26	1.64	0
BCR 50	readings	% 0	% 1	% 2	% 3	% 4	% A	% B	% C
Form A	4,508	28.5	22.3	13.2	7.2	1.4	22.8	4.6	0
Form B	3,890	25.9	21.7	14.2	8.5	1.9	23.5	4.4	0
Form C	3,804	24.5	23.4	13.6	8.3	2.4	22.8	5	0
Form D	3,662	26.4	20.8	13.7	9.1	2	23.1	5	0
Form X	1,028	32.8	15.1	4.6	1.9	0.4	37.5	7.7	0
Form Y	772	20.6	14.2	5.6	2.5	0.1	47.7	9.3	0
BCR 50	17,664	26.54	21.32	12.78	7.6	1.73	24.96	5.11	0
Form W Items									
	readings	% 0	% 1	% 2	% 3	% 4	% A	% B	% C
BCR 5	3,662	2.4	50.7	36.5	5.5	0.3	4.5	0.2	0
BCR 11	3,662	7.7	61	20.5	2.8	0.1	7.2	0.7	0
BCR 17	3,662	16.5	49.8	10.7	1.6	0.1	19	2.2	0
BCR 24	3,662	17.6	46.6	6.1	1.3	0.2	24.9	3.2	0
BCR 32	3,662	26	37.7	8.7	1.3	0.1	23.5	2.6	0
BCR 42	3,662	24.3	36.4	5.3	1.4	0.4	27	5.2	0
BCR 50	3,662	8.8	68.9	6.9	0.7	0	12.9	1.7	0

BCR 57	3,662	18.9	47.9	9.4	1.7	0.1	19.6	2.5	0
BCR 64	3,662	4.8	67.6	9.3	1.3	0.1	15.8	1.1	0
Field Test Items									
BCR 59	readings	% 0	% 1	% 2	% 3	% 4	% A	% B	% C
Form A	2,434	23.7	33.4	7.4	2.1	0.2	28.4	4.9	0
Form X	550	24.9	23.1	3.1	0.2	0	42.2	6.5	0
BCR 59	2,984	23.92	31.5	6.61	1.75	0.16	30.94	5.19	0
BCR 63	readings	% 0	% 1	% 2	% 3	% 4	% A	% B	% C
Form A	2,434	12.2	46.7	20.3	3.7	0.3	15.5	1.4	0
Form X	550	17.1	45.1	8.9	0.4	0	27.3	1.3	0
BCR 63	2,984	13.1	46.41	18.2	3.09	0.24	17.67	1.38	0
BCR 58	readings	% 0	% 1	% 2	% 3	% 4	% A	% B	% C
Form B	2,100	17.4	42.5	18.5	8.3	1	11.3	1	0
Form Y	410	21.5	33.9	7.1	2.2	0.2	32	3.2	0
BCR 58	2,510	18.07	41.1	16.64	7.3	0.87	14.68	1.36	0
BCR 62	readings	% 0	% 1	% 2	% 3	% 4	% A	% B	% C
Form B	2,100	19.3	38.2	10.4	1.9	0	27	3.1	0
Form Y	410	22.4	18	2.2	0.5	0	48.5	8.3	0
BCR 62	2,510	19.81	34.9	9.06	1.67	0	30.51	3.95	0
Form C	readings	% 0	% 1	% 2	% 3	% 4	% A	% B	% C
BCR 56	2,051	16.3	43.8	19.3	2.8	0.2	16.2	1.4	0
BCR 60	2,051	25.8	34	7.1	1.3	0.1	27.6	4	0
Form D	readings	% 0	% 1	% 2	% 3	% 4	% A	% B	% C
BCR 56	1,976	8.1	37.7	16.4	4.9	0.4	29.1	3.4	0
BCR 61	1,976	6.6	43.8	26.1	5.4	0.2	16.6	1.2	0