

MARYLAND PUBLIC SCHOOLS AIR CONDITIONING SURVEY

LEA	Elementary		Middle		High		Other		Total Number Schools	Total Schools with AC	Total Schools without AC	Percentage w/AC 2013		Percentage w/AC 2011	Percentage w/AC 2004
	with AC	without AC	with AC	without AC	with AC	without AC	with AC	without AC							
Allegany	14	0	0	3	2	1	2	0	22	18	4	82%		82%	43%
Anne Arundel	78	0	19	0	12	0	9	0	118	118	0	100%		100%	98%
Baltimore City	too many building variants								163	92	71	56%		56%	45%
Baltimore County	62	44	17	10	16	8	9	3	169	104	65	62%		62%	39%
Calvert	13	0	6	0	4	0	2	0	25	25	0	100%		100%	100%
Caroline	5	0	2	0	2	0	1	0	10	10	0	100%		100%	90%
Carroll	23	0	9	0	8	0	3	0	43	43	0	100%		100%	87%
Cecil	16	1	6	0	5	0	2	0	30	29	1	97%		97%	97%
Charles	21	0	8	0	6	0	2	0	37	37	0	100%		100%	100%
Dorchester	6	0	2	0	2	0	3	0	13	13	0	100%		100%	100%
Frederick	36	0	13	0	10	0	4	0	63	63	0	100%		100%	100%
Garrett	2	6	2	0	0	2	0	1	13	4	9	31%		31%	27%
Harford	33	0	9	0	10	0	0	1	53	52	1	98%		98%	92%
Howard	40	0	19	0	12	0	7	0	78	78	0	100%		100%	100%
Kent	5	0	1	0	1	0	1	0	8	8	0	100%		100%	100%
Montgomery	132	0	38	0	25	0	6	0	201	201	0	100%		100%	100%
Prince George's	127	0	28	0	26	0	8	0	189	189	0	100%		100%	73%
Queen Anne's	8	0	4	0	2	0	0	0	14	14	0	100%		100%	100%
Somerset	5	0	1	0	2	0	2	0	10	10	0	100%		100%	100%
St. Mary's	18	0	5	0	3	0	2	0	28	28	0	100%		100%	100%
Talbot	6	0	1	0	1	0	1	0	9	9	0	100%		100%	100%
Washington	27	0	7	0	9	0	3	0	46	46	0	100%		100%	88%
Wicomico	14	2	2	1	3	0	1	1	24	20	4	83%		83%	63%
Worcester	5	0	4	0	4	0	1	0	14	14	0	100%		100%	100%
STATE TOTAL	621	51	183	13	143	11	59	5	1380	1225	155	89%		89%	78%

Prepared by Maryland State Department of Education, School Facilities Branch, Contact: Barbara Bice, 410-767-0097

Data as of 2/13/13 based on email and telephone survey conducted between 2/1/13 and 2/13/13.

"With AC" means the general purpose classrooms in the school have cooling with either a central system or window units.